



# Loy Farms (2-SC-22-C / 2-E-22-UR)

**Aaron Fritts** <Aaron.Fritts@knoxcounty.org>
To: Mike Reynolds <mike.reynolds@knoxplanning.org>
Cc: Steve Elliott <Steve.Elliott@knoxcounty.org>

Mon, Feb 7, 2022 at 7:38 AM

Reponses below in blue. Thanks Mike.

### **Aaron Fritts, PE**

Land Development Manager

Knox County Engineering and Public Works Office: 865-215-5830

205 W. Baxter Avenue

Knoxville, TN 37917



From: Mike Reynolds <mike.reynolds@knoxplanning.org>

**Sent:** Thursday, February 3, 2022 2:02 PM **To:** Aaron Fritts <a href="mailto:Aaron.Fritts@knoxcounty.org">Aaron.Fritts@knoxcounty.org</a>

Subject: [External]Loy Farms (2-SC-22-C / 2-E-22-UR)

### Aaron,

The requested alternative design standards are listed below. Please let me know if these are acceptable. The internal street are private.

#### **VARIANCES**

- 1) Reduce the minimum vertical curve K value from K=25 to K=18.8 on Road 'A' at STA 11+15 Knox County will approve down to K=20
- 2) Reduce the minimum vertical curve K value from K=15 to K=6.3 on Road 'B' at STA 25+50 Maintain K=15
- 3) Reduce the minimum vertical curve K value from K=25 to K=14.3 on Road 'B' at STA 26+80 Knox County will approve down to K=20

#### ALTERNATIVE DESIGN STANDARDS REQUIRING PLANNING COMMISSION APPROVAL

- 1) Reduce the minimum private right-of-way width from 50 ft to 40 ft for Road 'A' and Road 'B' Approve
- 2) Reduce the minimum pavement width for a private right-of-way from 26 ft to 24 ft for Road 'A' and Road 'B' Approve
- 3) Increasing the maximum grade of a private right-of-way from 12 to 15 percent on Road 'D' Approve
- 4) Reduce the minimum horizontal curve radius from 250 ft to 200 ft for Road 'A' from STA 15+44.19 to 18+43.22 Approve

Approve			
Thanks! Mike			
Mike Reynolds, AICP			
Principal Planner			
865.215.3827			

ALTERNATIVE DESIGN STANDARDS REQUIRING KNOX COUNTY ENGINEERING AND PUBLIC WORKS APPROVAL 1) Increase the maximum intersection grade from 1 to 2 percent on Road 'B' at the Road 'A' intersection approach.

**Knoxville-Knox County Planning** | KnoxPlanning.org 400 Main Street, Suite 403 | Knoxville, TN 37902

## >>>CAUTION<<<

This message originates outside of the Knox County email system. Use caution if this message contains attachments, links or requests for information.

This message, including any attachments, is for the sole use of the intended recipient(s) and may contain personal, private, or confidential information as defined by Tennessee and/or federal law. If you are not the intended recipient, please contact the sender and destroy all copies of the original message. If you cannot reach the person who sent this message to you, please provide only your name and contact information to the Knox County Privacy Officer at <a href="mailto:privacy@knoxcounty.org">privacy@knoxcounty.org</a>. Knox County is not responsible for errors or omissions in this message. Any personal comments made do not necessarily represent the views of Knox County.