



TO: Knoxville-Knox County Planning Commission
FROM: Amy Brooks, CPM, AICP, Executive Director
DATE: 6/6/2024
SUBJECT: 8-A-23-OA Agenda Item # 61

RECOMMENDATION

Postpone consideration of this item to the September 12, 2024 Planning Commission meeting.



TO: Knoxville-Knox County Planning Commission
FROM: Amy Brooks, AICP and Jeff Welch, AICP, Executive Director
DATE: 9/26/2022 Agenda Item #22 8-A-22-OA
SUBJECT: Proposed Updates to Knoxville City Code Appendix B, Zoning Code

Recommendation

Staff recommends approval of an amendment to the Knoxville City Code, Appendix B, Zoning Code, Article 5.3, to refine the application of build-to percentages and build-to zones in the C-G General Commercial Zoning Districts (C-G-2 and C-G-3).

Background

A request was made during the Public Stakeholder Committee process for Planning staff to review and make recommendations to address challenges to meeting the build-to percentage and build-to zones for properties zoned C-G-2 and C-G-3 along major corridors in the City.

C-G General Commercial Zoning District

The purpose of the C-G General Commercial Zoning District is "to provide for a heterogeneous mix of retail, personal service, office, and residential uses within and along Knoxville's commercial nodes and corridors. The C-G District is intended to promote mixed-use development in a pedestrian-oriented environment that recalls the City's traditional business districts, and offers flexibility in the creation of integrated commercial, office and residential spaces. The C-G District is divided into three levels of intensity related to the overall form and design of the development; however, uses are the same across all levels."

Build-to zones and build-to percentages identify where buildings can be located on the property and are utilized to encourage a certain form along a street frontage. In the case of the C-G zones, they are intended to help create a more pedestrian friendly environment along Knoxville's main corridors.

Build-to zone

A build-to zone (BTZ) is the area on a lot, measured parallel from the front and/or corner side lot line, where a structure must locate within the minimum and maximum range of setback provided. The building façade must be located within the build-to zone. Façade articulation, such as window or wall recesses and projections are not counted as the building façade line, which begins at the applicable façade wall.

Build-to percentage

A build-to percentage specifies the percentage of the building façade that must be located within a build-to line or build-to zone. Façade articulation, such as window or wall recesses and projections, do not count against the required build-to percentage. Plazas and other open space features are counted as meeting the build-to percentage. Build-to percentage is calculated by building façade, not lot width.

Most of the primary corridors in Knoxville are classified as major arterials. Per the [2018 Major Road Plan](#), major arterials are streets that are intended to “provide major movement within the area, provide intercommunity connections to the local street system and move through traffic between activity centers. Access control is desirable.”

ANALYSIS

Given the length of several of Knoxville’s primary corridors, the major arterial classification, and the existing constraints of certain sections of these corridors, the application of build-to-zones and build-to-percentages alone will not promote a pedestrian oriented environment for properties zoned C-G-2 and C-G-3. Key elements of a walkable district include:

- Space – is there a greenway or sidewalk that allows for adequate walking paths?
- Safety – does the space feel safe to walk?
- Attractiveness – is the space clean and shaded?
- Connectivity – is there a good mix of uses and is it connected to other walkable areas?

While the C-G uses may be appropriate along portions of the major arterials in the city, the dimensional standards for C-G-2 and C-G-3 may unduly constrain redevelopment and implemented alone will fall short of creating an environment that fosters pedestrian activity.

In addition to reviewing the Major Road Plan, staff reviewed previously approved land use plans, and the existing land use pattern along major collectors with C-G-2 and C-G-3 zoning.

Staff proposes amendments to the code that refine the application of build-to zones and built-to-percentages in the C-G-2 and C-G-3 zoning districts to encourage a development form in areas with the highest potential for pedestrian oriented activity while not inhibiting redevelopment along sections of the major arterials that are anticipated to remain primarily auto oriented.


Attachment 1: Proposed amendments to Knoxville City Code Appendix B, Zoning Code, Article 5.3



5.3 DIMENSIONAL STANDARDS

- A. Table 5-1: Commercial and Office Districts Dimensional Standards establishes the dimensional standards for the office and commercial districts, with the exception of the DK District. The dimensional standards for development for the DK District are found in Sections 5.5 below. These regulations apply to all uses within each district unless a different standard is listed for a specific use.
- B. In the C-N District, and in the O District when the lot abuts a single-family residential district, nonresidential development is limited to the maximum gross floor area indicated in Table 5-1. Additional gross floor area may be permitted if, during site plan review, it is found that the development meets all of the following standards. If the development is being approved in conjunction with a special use, then a request for increased floor area will be reviewed as part of the special use, rather than site plan review.
1. The development maintains the privacy of adjacent residential lots through techniques such as decreased height, additional landscape and screening measures, building massing and design to mitigate adverse impacts of noise and lighting, and increased setbacks above those required from adjacent residential lots.
 2. Building design elements incorporate pedestrian-scale features, such as awnings and storefront windows.
 3. The design of the site's circulation system provides adequate and safe access for both motor vehicles and alternate modes of transportation, including pedestrians and bicyclists. The design must minimize potentially dangerous traffic movements and points of conflict between vehicles and pedestrians or bicyclists.
- C. In the C-G-2 and C-G-3 districts along the following sections of major arterials and as shown in the map below, build-to-percentages and build-to zones do not apply:
1. N. Broadway – north of Ridgewood Road
 2. Chapman Highway – south of Young High Pike
 3. Asheville Highway – east of Prosser
 4. Kingston Pike – west of Westwood Road Bearden Road (as modified at the 10/6/22 Planning Commission meeting)
 5. S. Northshore Drive – east of Whitower Drive

Application of build-to percentages and build-to zones in CG-2 and CG-3



Created: 2022-07-05 16:05:23 [EST]

Table 5-1: Commercial and Office Districts Dimensional Standards

| | C-N | C-G-1 | C-G-2 | C-G-3 |
|---|---|--|--|--|
| Bulk | | | | |
| Minimum Lot Area | None | None | None | None |
| Minimum Lot Width | None | None | None | None |
| Maximum Gross Floor Area (Nonresidential Uses Only) | 5,000 sf unless meeting the standards of 5.3.B | N/A | N/A | N/A |
| Maximum Building Height | 45' | 45' | 70'; however, structures must set back an additional 1' for every 2' of height over 45' from any required setback abutting a residential district lot line | Unlimited; however, structures must set back an additional 1' for every 2' of height over 45' from any required setback abutting a residential district lot line |
| Setbacks | | | | |
| Minimum Front Setback | None, unless average of adjacent lots is 15' or greater, then 15' | None | Build-To Zone: 0' to 20' | Build-To Zone: 0' to 20' |
| Minimum Build-To Percentage | N/A | N/A | 50% | 70% |
| Minimum Interior Side Setback | None, unless abutting a residential district, then 20' | None, unless abutting a residential district, then 20' | None, unless abutting a residential district, then 20' | None, unless abutting a residential district, then 20' |
| Minimum Corner Side Setback | 15' | None | Build-To Zone: 0' to 10' | Build-To Zone: 0' to 15' |
| Minimum Build-To Percentage | N/A | N/A | 30% | 60% |
| Minimum Rear Setback | 20', unless abutting a residential district, then 30' or 20% of lot | None, unless abutting a residential district, then 20' | None, unless abutting a residential district, then 20' | None, unless abutting a residential district, then 25' |

| | | | | |
|--|--------------------------|--|--|--|
| | depth, whichever is less | | | |
|--|--------------------------|--|--|--|

Table 5-1: Commercial and Office Districts Dimensional Standards


| | C-H-1 | C-H-2 | C-R-1 | C-R-2 |
|---|---|--|---|--|
| Bulk | | | | |
| Minimum Lot Area | 10,000 sf | 10,000 sf | 15,000 sf | 15,000 sf |
| Minimum Lot Width | 60' | 60' | 80' | 80' |
| Maximum Gross Floor Area (Nonresidential Uses Only) | N/A | N/A | N/A | N/A |
| Maximum Building Height | 45' | 90'; however, structures must set back an additional 1' for every 2' of height over 45' from any required setback abutting a residential district lot line | 50' | 90'; however, structures must set back an additional 1' for every 2' of height over 45' from any required setback abutting a residential district lot line |
| Setbacks | | | | |
| Minimum Front Setback | 20' | 20' | 20' | 20' |
| Minimum Interior Side Setback | 10', unless abutting a residential district, then 30' | 10', unless abutting a residential district, then 35' | 10', unless abutting a residential district, then 30' | 10', unless abutting a residential district, then 35' |
| Minimum Corner Side Setback | 20' | 20' | 20' | 20' |
| Minimum Rear Setback | 10', unless abutting a residential district, then 30' | 10', unless abutting a residential district, then 30' | 10', unless abutting a residential district, then 30' | 10', unless abutting a residential district, then 30' |

Table 5-1: Commercial and Office Districts Dimensional Standards


| | | |
|-------------|---|----|
| | O | OP |
| Bulk | | |

| | | |
|--|--|--|
| Minimum Lot Area | 10,000 sf TH: 3,000 sf/du MF—Up to 6 du: 2,000 sf/du | 20,000 sf |
| Minimum Lot Width | 60' | 80' |
| Maximum Gross Floor Area (Nonresidential Uses Only) | 5,000 sf when the lot abuts a single-family district unless meeting the standards of 5.3.B | N/A |
| Maximum Building Height | 45' | 50' |
| Setbacks | | |
| Minimum Front Setback | 15' | 25' |
| Minimum Interior Side Setback | 15', unless abutting a residential district, then 20' | 20', unless abutting a residential district, then 35' |
| Minimum Corner Side Setback | 15' | 25' |
| Minimum Rear Setback | 20', unless abutting a residential district, then 30' or 20% of lot depth, whichever is less | 20', unless abutting a residential district, then 35' |

COMMERCIAL DISTRICT DIMENSIONAL STANDARDS



*A – Front Setback
B – Interior Side Setback
C – Corner Side Setback
D – Rear Setback*



*A – Lot Area
B – Lot Width
C – Building Height*

C-G General Commercial Zoning Districts (C-G-2 & C-G-3)

KNOXVILLE CITY COUNCIL WORKSHOP | APRIL 27, 2023



Background

- Request was made during the Public Stakeholder Committee process to review and make recommendations to address challenges to meeting the build-to percentage and build-to zones for properties zoned C-G-2 and C-G-3 along major corridors in the City.
- The purpose of the C-G General Commercial Zoning District is “to provide for a heterogeneous mix of retail, personal services, office and residential uses...” and is intended to promote mixed-use development in a pedestrian oriented development....”

Definitions

- Build-to zone: is the area on a lot where a structure must locate within the minimum and maximum range of setback provided.
- Build-to percentage: Specifies the percentage of the building façade that must be located within a build-to line or build-to zone.
- Major Arterials: are streets intended to provide major movement within the area, provide intercommunity connections to the local street system and move through traffic between activity centers.


Analysis


- Given the arterial street layout and length of many of these streets the application of build-to zones and build-to percentages will not create a pedestrian oriented environment.
- Key elements of a walkable area include: space, safety, attractiveness and connectivity.

Planning Commission Recommendation

- Add section C to Article 5.3 Dimensional Standards
- C. In the C-G-2 and C-G-3 districts along the following sections of major arterials and as shown on the map, build-to-percentages and build-to-zones do not apply:
 1. N. Broadway-north of Ridgewood Road
 2. Chapman Highway- south of Young High Pike
 3. Asheville Highway- east of Prosser Road
 4. Kingston Pike- west of Bearden Road
 5. S. Northshore Drive- east of Whitower Drive








- Applicant requested rezoning from C-G-3 to C-G-1 on 11/12/2020.
- Planning staff reported applicant is seeking a rezone due to the more restrictive setback requirements in the existing C-G-3 zoning.
- Planning Commission denied request 1/14/2021.
- City Council approved first reading on 2/9/2021
- City Council approved second reading on 2/23/2021.








- Applicant requested rezoning from C-G-2 to C-G-1 on 12/28/2020.
- Planning staff reported applicant is seeking a rezone due to the more restrictive setback requirements in the existing C-G-2 zoning.
- Planning Commission denied request 3/11/2021.
- City Council approved first reading on 4/6/2021
- City Council approved second reading on 5/4/2021.









- Parcel is zoned C-G-2.
- Requires a Build-To Zone: Zero to 20 feet.
- 50% of the front of the building must be within the build-to-zone.
- Fast Pace Health met the build-to-zone requirements.


LIN HUI
INST No. 201006100077183








- Parcel is zoned C-G-2.
- Requires a Build-To Zone: Zero to 20 feet.
- 50% of the front of the building must be within the build-to-zone.
- Downtown Dental met the build-to-zone requirements.







- Parcel is zoned C-G-2.
- Requires a Build-To Zone: Zero to 10 feet.
- 30% of the corner side of the building must be within the build-to-zone.
- Property currently seeking variance to 30 feet in May.

Economic Development Recommendations

- Adopt Planning Commission's recommendations as presented November 1, 2022
 - Add Section C to Article 5.3 Dimensional Requirements
 - Build-to-Zones and Percentages will not apply along sections of the five (5) Major arterials identified
- Revisit CG-2 and CG-3 Districts on a community-by-community basis during FY 2023-2024
 - Address current standards as considered appropriate



Questions & Discussion



The Planning Commission met in regular session on October 6, 2022 at 1:30 p.m. in the Main Assembly room of the City County Building.

Item No.

File No.

1. ROLL CALL, INVOCATION AND PLEDGE OF ALLEGIANCE

| | | |
|-----------------------------|----------------------|----------------------|
| Ms. Karyn Adams | A Ms. Nancy Barger | Ms. Tamara Boyer |
| A Mr. Louis Browning | Mr. Logan Higgins | Mr. Tim Hill, Chair |
| Mr. John Huber | Mr. Richard Levenson | Ms. Amy Midis |
| Mr. Chris Ooten, Vice Chair | Ms. Marité Pérez | Mr. Patrick Phillips |
| Mr. Jeff Roth | Mr. Nathaniel Shelso | * Mr. Eddie Smith ** |

* Arrived late to the meeting, ** Left early in the meeting, A – Absent from the meeting

22. KNOXVILLE-KNOX COUNTY PLANNING

8-A-22-OA

Consideration of an amendment to the Knoxville City Code, Appendix B, Zoning Code, Article 5.3, to refine the application of build-to percentages and build-to zones in the C-G-2 and C-G-3 Zoning Districts.

This item was moved to the end of the Agenda at the beginning of the meeting.

1. STAFF RECOMMENDATION

Approve the amendment to the Knoxville City Code, Appendix B, Zoning Code, Article 5.3, to refine the application of build-to percentages and build-to zones in the C-G General Commercial Zoning Districts (C-G-2 and C-G-3).

2. MOTION (PHILLIPS) AND SECOND (SHELSON) WERE MADE TO APPROVE AN AMENDMENT TO THE KNOXVILLE CITY CODE, APPENDIX B, ZONING CODE, ARTICLE 5.3, DIMENSIONAL STANDARDS, ADDING SECTION C.1-5 AS OUTLINED BY THE MAP SUBMITTED AT THE MEETING BY COMMISSIONER SHELSON.

[PROPOSED CHANGES TO SECTION C.1-5 IDENTIFIED IN THIS SUBSTITUTE MAP ARE AS FOLLOWS:

Item No.**File No.**

C.1 NO CHANGE

**C.2 CHAPMAN HIGHWAY – SOUTH OF OVERBROOK DRIVE
AND FRONDA LANE**

C.3 ASHEVILLE HIGHWAY – EAST OF I-40

C.4 KINGSTON PIKE – WEST OF WEISGARBER ROAD

**C.5 S. NORTHSORE DRIVE – BETWEEN WHITOWER ROAD
AND WILDA PLACE]**

**MOTION FAILED 2-10 (NO ADAMS, BOYER, HIGGINS,
HILL, HUBER, LEVENSON, MIDIS, OOTEN, PEREZ,
ROTH). FAILED**

- 3. MOTION (PHILLIPS) AND SECOND (OOTEN) WERE MADE
TO APPROVE AN AMENDMENT TO THE KNOXVILLE CITY
CODE, APPENDIX B, ZONING CODE, ARTICLE 5.3,
DIMENSIONAL STANDARDS, ADDING SECTION C.1-5, PER
STAFF RECOMMENDATION WITH THE EXCEPTION OF C.4
BEING MODIFIED TO READ “KINGSTON PIKE – WEST OF
BEARDEN ROAD”.**

**MOTION CARRIED 9-3 (NO SHELSON, ADAMS, MIDIS).
APPROVED**
